




FEATURES

- ▶ Graphical construction and deployment of I/A Series control strategies
- ▶ Construction of re-usable control strategy component and composite designs
- ▶ User-defined renderings of re-usable control strategy components and composites
- ▶ Printed reports of control strategy drawings and supporting information
- ▶ Live updates/edits of real-time values superimposed on control strategy drawings

Remote Desktop Services (for stations with Windows 7 and Windows Server 2008 R2).

BENEFITS

The Foxboro Control Software (FCS) Configuration Tools offer substantial engineering productivity and quality gains to application designers and project engineers during:

- ▶ Initial project engineering through programmatic interfaces to third-party applications and external file systems supporting XML information exchange
- ▶ All project lifecycle stages, where the documentation is kept in synch with the configuration, as modifications are made
- ▶ Large scale expansions and modifications to the current designs
- ▶ Interoperability with other Invensys and third-party applications.

They also offer enhanced value to those users who want to use the I/A Series system in more than one project. They provide the ability to migrate intellectual property from one installation to another with extensive tools to edit that intellectual property to fit the circumstances of the new project.

The FCS Configuration Tools offer exceptional value to current users of I/A Series systems wanting to upgrade their existing system to the latest technology by providing utilities to convert the intellectual property residing in their existing system to the paradigms of the new system. This can include graphical representations of control strategies.

This tool set is built upon and conforms to industry standards including Microsoft .NET Framework and Invensys ArchestrA Framework. Graphical editors within the configuration tool set utilize and take advantage of Microsoft Visio® application as the rendering engine.

The FCS Configuration Tools provide graphical design, configuration, deployment and commissioning tools for I/A Series Version 8.6 and later systems, such as PROFIBUS and FOUNDATION Fieldbus (FF). The graphical design tool for Strategy construction is shown in Figure 1.

The server for the FCS Configuration Tools supports concurrent client access with record locking.




Figure 1. Foxboro Control Software Configuration Tools Navigation

OVERVIEW

The Foxboro Control Software (FCS) Configuration Tools are constructed using the Microsoft® desktop metaphor and include several menus, tool bars and views, such as the Template Toolbox and Network View as shown in Figure 1. The Strategy Editor Area provides a drawing canvas and associated tables and Winforms used for the graphical construction of control strategies.

The FCS Configuration Tools enable the user to design: I/A Series Control Strategies, I/A Series System Configuration, and Application Objects.

Control strategies are assigned to compounds, which are in turn assigned to I/A Series control stations with a distributed network.

- ▶ A control station is the hardware platform that executes the regulatory, sequential, logical and supervisory control strategies contained in a compound assigned to the station.
- ▶ A compound is the top most control container and is assigned to a physical control station. The compound contains a set of user-designed strategies.

- ▶ A strategy template is a configured object representing a functional control entity, engineered to be reusable. The Strategy is a collection of Blocks and inner Strategies that are typically linked together. A Strategy may be instantiated as a control entity such as a Loop.
- ▶ A Block is the fundamental control element and represents a specific type of control function. I/A Series systems support over a hundred different base types of Blocks.

STRATEGY CONSTRUCTION

A new strategy is developed by deriving a new template or instance from the base or derived Strategy, naming it and opening it. This creates a new drawing canvas for constructing the Strategy. Base or user-derived Block templates are dropped onto the drawing canvas and linked together by connecting exposed parameters on the Blocks via a line drawing. Strategy connectors (inputs or outputs) are created and dropped onto the canvas and linked to block parameters. These connectors link Strategies together either from an inner to outer Strategy as discussed earlier or from a peer-to-peer Strategy connection as shown below.




Figure 2. Constructing a Strategy

Execution Order of Strategy Components

The FCS Configuration Tools enable the user to determine the order of execution automatically based upon the data flow through the strategy or by manually selecting the order of execution.

The order of execution of Blocks/Strategies within a containing Strategy is important to avoid introducing unwanted dead time into the strategy execution order.




Figure 3. Setting the Execution Order

Live Data Updates on Strategy Diagrams

The FCS Configuration Tools provide a graphical display that superimposes real time updated values at the connections between blocks in a deployed strategy. It also provides the capability to access deployed control strategies from the Strategy Editor.

Blocks/Strategies are selectable for editing purposes. The user can then upload values in the target controller to the database or download settable parameters in the database to the target controller without implementing a deploy procedure.




Figure 4. Live Data Updates on a Strategy

Block Properties and Behavior Specification

Once a control Strategy has been designed, its behavior and properties have to be specified. This primarily consists of specifying its constituent parts, namely base and user-derived Blocks.

Blocks are available as either base or user-derived templates which are available for reuse in Strategy templates or instances. In all cases specifying the properties and behavior of these blocks is the same.

A new Derived Block Template represents a specialization of the original Block type. Typical examples include specializing a base Analog Input block template to represent an iron-constant and thermocouple input block type as shown below.




Figure 5. Derived Thermocouple

Other specializations include modifying the appearance or exposing certain features of various function blocks. One example would be to derive a base PIDA block into a specialized SAMA representation of a control entity as shown below:




Figure 6. SAMA Representation

Strategies

The Strategy editor enables users to nest Strategies. This specialization process enables the user to create libraries of Strategy Templates that are composed of sets of connected blocks.

To illustrate this capability, consider the example below where a Reactor Temperature Control Strategy template that is constructed from inner Strategy templates called CasHOL and SplitRange. These inner Strategy templates are formed from I/A Series block types.

Notice the yellow connectors in the two inner Strategies become connectable properties of the blocks in the outer Strategy.





Figure 7. Construction Process


Programmable Block Editors

I/A Series systems offer programmable block types including several choices of general purpose calculator style block types [MATH, LOGIC, CALC, CALCA]; a series of block types programmed in the High Level Batch Language [HLBL]; block types programmed in Sequential Function Charts [FoxSFC] and a block type that is programmed in a Ladder Logic Diagram that executes in I/O Modules.


The FCS Configuration Tools provide a text editor for programming the High Level Batch Language and a graphical editor for programming Sequential Function Charts and Ladder Logic Diagrams as shown below.



High Level Batch Language Editor



Sequential Function Chart Editor



Ladder Logic Diagram Editor

Figure 8. Programmable Block Editors

SYSTEM CONFIGURATION

The FCS Configuration Tools enable the user to construct an I/A Series configuration from standard I/A Series workstation, Control Station and Fieldbus Modules by instantiating these base types and renaming them according to user preferences. Then an engineer uses the Network View to assign these stations and modules to their designated Unit Areas.

The example below shows five user defined Unit Areas in addition to the Unassigned Hardware node. These are Centrifugation, Purification, Reaction, Solvent Recovery, and Tank Farm. It further shows two workstations and three Controllers assigned to the Reaction Area and two FBMs assigned to the RX0100 Controller.




Figure 9. Network View of System Configuration

Intelligent Device Configuration

Configuration tools in combination with the Foxboro Field Device Manager for FOUNDATION fieldbus is used to provide Fieldbus device management throughout the asset's lifecycle, including function block and device configuration, calibration, commissioning, startup, diagnostics and replacement.

The Foxboro Field Device Manager for PROFIBUS is used in the same way for PROFIBUS device management. Detailed information regarding FOUNDATION fieldbus integration is provided in *Foxboro Control Software Field Device Manager for FOUNDATION™ fieldbus* (PSS 21S-10B6 B3), with additional Control in the Field functionality provided in *Foxboro Control Software with FOUNDATION™ fieldbus* (PSS-10B10 B3). Detailed information regarding PROFIBUS integration is provided in *Foxboro Control Software Field Device Manager for Profibus Devices* (PSS 21S-10B4 B3).

Bulk Generation of a Project

The FCS Configuration Tools offer extensive engineering productivity tools such as the ability to bulk generate a project database from user defined templates combined with project specific information stored in Microsoft Excel® or CSV format, I/A Series SaveAll format, IACC Export format, SysDef Export format, or in a proprietary XML document.

The FCS Configuration Tools can also migrate control strategies stored in existing I/A Series system installations from the data stored in existing control stations. The bulk data is first imported into a data grid allowing the user to inspect it and make any necessary additions or modifications.




Figure 10. Bulk Generation of a Project

Bulk generation has the capability for applying Visual Basic® scripts to selected portions of the grid such as specific strategies or compounds to make bulk edits to the information. Once the user is satisfied with the structure and content, this grid is then used to generate the requisite control strategies and system configuration.

CONTROL STRATEGY DEPLOYMENT

Once a Strategy is correctly assigned to a Compound and the Compound to a Controller, it can be deployed using commands selected from the object in the Deployment View, or one of the other FCS Configuration Tools Application Views.

There are three targets updated in the deployment:

- Compounds and blocks are downloaded to the I/A Series system including the assigned Controller and the Compound Summary Access (CSA).
- Security access settings for compound and block attributes are loaded into ArchestrA Security.
- ArchestrA History is updated with the collection points configured in the Compounds and blocks.

When a Strategy or Compound is later modified using the FCS Configuration Tools, it must be re-deployed to implement the changes in the runtime system. When a Strategy or Compound is re-deployed, only the affected targets are updated, and only the modified parameters are downloaded.

CONCURRENT ACCESS TO THE DATABASE

The FCS Configuration Tools support multiple clients concurrently accessing the database via a combination of networked clients and server-side Terminal Services (for stations with Windows XP and Windows Server 2003) or Remote Desktop Services (for stations with Windows 7 and Windows Server 2008 R2). Networked clients execute their application independently from the server and only communicate when a client session is opened or closed. Terminal services and Remote Desktop Services use the resources of the server to perform their operations and remote clients to provide a user interface. These utilize different resources within the

network architecture and can be used in combination to achieve optimal performance.

USER DEFINED APPLICATION OBJECTS

The FCS Configuration Tools enable the user to construct Application Objects and deploy them to the FCS Application Environments hosted by AW70 platforms and ArchestrA Industrial Application Servers. These are created by the Configuration Tools Galaxy Repository. The following example depicts an OLEDB database application created as an Application Object.




Figure 11. FCS Application Object to Read/Write to a Database

ACCESS SECURITY

The FCS Configuration Tools utilize an ArchestrA Role-based security model where users subscribe to different roles depending upon their job requirements. Roles have associated access permissions and security groups. Security groups have various plant areas assigned to them.

A user's subscription to a particular role provides access to specific security groups (plant areas) with specified access permissions (Operate, Secured Write, and so forth) in those groups.

The authentication process is *user_name* and *password*.

CHANGE TRACKING WITH FOXCTS SOFTWARE

The FCS Configuration Tools provide an integration with FoxCTS Change Tracking software. All control configuration and program changes deployed to Control Processors from the FCS Configuration Tools are reported to FoxCTS software to provide tracking of control system changes to help meet regulatory body requirements. Examples of program changes are HLBL or FoxSFC program changes in Sequence Blocks or Ladder Logic Diagram (LLD) program changes in PLB Blocks.

RELATED PRODUCT SPECIFICATIONS

Further details regarding functionality provided within the Configuration Tools can be found in:

- ▶ PSS 21S-10B8 B3, *Foxboro® Control Software Logic Block Editor and Troubleshooting Tool*
- ▶ PSS 21S-10B9 B3, *Foxboro® Control Software Scripting with Direct Access*

HARDWARE AND SOFTWARE REQUIREMENTS

Foxboro Control Software Configuration Tools Server

- ▶ I/A Series Software Version: Supports I/A Series software v8.7 or later
- ▶ I/A Series Station type: H91, P91, H90, and P90
 - Intel Pentium® 4, 1.8 GHz (or higher) processor
- ▶ Operating System: Microsoft Windows® Server 2008 R2, and Microsoft Windows Server® 2003 Software⁽¹⁾
- ▶ Database Software: Microsoft SQL Server® 2008⁽¹⁾⁽²⁾
- ▶ Memory: 4.0 gigabytes of main memory
- ▶ Hard Disk: Recommended: 16.0 GB free disk space
- ▶ Video Graphic Accelerator Card: 32 MB of memory
- ▶ Communications Network: 100 Mbps TCP/IP Switched Ethernet

Foxboro Control Software Configuration Tools Client

- ▶ I/A Series Software Version: Supports I/A Series software v8.7 or later
- ▶ I/A Series Station type: H92 or P92
- ▶ Operating System: Microsoft Windows® 7, Microsoft Windows Server 2008 R2, Microsoft Windows Server 2003, Microsoft Windows XP® Software⁽¹⁾
- ▶ Computer: Intel Pentium® 4, 1.8 GHz (or higher) processor
- ▶ Memory: 2.0 gigabytes of main memory
- ▶ Hard Disk: Recommended: 16.0 GB free disk space
- ▶ Video Graphic Accelerator Card: 32 MB of memory
- ▶ Communications Network: 100 Mbps TCP/IP Switched Ethernet

Terminal Services or Remote Desktop Services Client

- ▶ On Platform Station Type: H91, P91, H90, and P90
- ▶ Off Platform Station Type: For Remote Desktop Services, Microsoft Windows Server 2008 R2. For Terminal Services, Microsoft Windows Server 2003 Software
- ▶ Memory: 4.0 gigabytes of main memory
- ▶ Database Software: Microsoft SQL Server 2008⁽²⁾
- ▶ Hard Disk: 32.0 GB free disk space

(1) Microsoft SQL Server™ 2008 is included as part of the Foxboro Control Software Configuration Tools installation.

(2) Requires Microsoft .NET 2.0 to be installed. Microsoft .NET 1.1 is included as part of the Foxboro Control Software Configuration Tools installation.

